

Crystalyte-HT

Rear Motor 25KM Max Speed

Descripton	U	I	P1	M	N	P2	Eff
	(V)	(A)	(W)	(N.m)	(rpm)	(W)	(%)
Unload	35.94	0.918	33.00	0.04	250.0	1.04	3.1
Max-Eff	35.51	8.837	313.9	11.61	222.5	270.4	86.1
Max-Pout	34.87	25.41	886.5	37.04	170.7	661.9	74.6
Max-Torque	34.87	26.53	925.3	60.16	46.1	290.3	31.3
End	34.87	26.53	925.3	60.16	46.1	290.3	31.3

NO:	U	I	P1	M	N	P2	Eff
	(V)	(A)	(W)	(N.m)	(rpm)	(W)	(%)
1	35.94	0.918	33.00	0.04	250.0	1.04	3.1
2	35.94	0.916	32.96	0.05	249.8	1.30	3.9
3	35.93	1.122	40.35	0.35	249.5	9.14	22.6
4	35.91	1.440	51.71	0.81	247.7	21.00	40.6
5	35.88	1.893	67.93	1.45	246.6	37.43	55.1
6	35.84	2.463	88.29	2.24	244.7	57.38	64.9
7	35.79	3.152	112.8	3.24	242.3	82.19	72.8
8	35.74	3.963	141.6	4.34	239.5	108.8	76.8
9	35.68	4.838	172.6	5.64	236.2	139.4	80.7
10	35.64	5.781	206.0	6.99	233.3	170.7	82.8
11	35.59	6.751	240.3	8.46	229.4	203.1	84.5
12	35.55	7.766	276.1	10.03	225.5	236.8	85.7
13	35.51	8.837	313.9	11.61	222.5	270.4	86.1
14	35.47	9.925	352.0	13.22	218.4	302.2	85.8
15	35.42	11.05	390.9	14.95	214.7	336.0	85.9
16	35.38	12.17	430.7	16.61	210.9	366.7	85.1
17	35.33	13.29	469.7	18.34	207.3	398.0	84.7
18	35.29	14.41	508.7	20.02	204.1	427.8	84.0
19	35.24	15.51	546.8	21.73	200.2	455.4	83.2
20	35.19	16.59	584.2	23.36	197.7	483.5	82.7
21	35.15	17.68	621.6	25.05	194.3	509.5	81.9
22	35.07	18.75	657.9	26.65	191.1	533.2	81.0
23	35.06	19.81	694.6	28.23	187.7	554.7	79.8

24	35.02	20.83	729.6	29.79	185.2	577.6	79.1
25	34.99	21.77	761.9	31.34	182.1	597.5	78.4
26	34.98	22.75	796.1	32.86	179.4	617.2	77.5
27	34.95	23.69	828.3	34.30	176.7	634.5	76.6
28	34.90	24.58	858.3	35.72	173.6	649.2	75.6
29	34.87	25.41	886.5	37.04	170.7	661.9	74.6
30	34.86	25.65	894.2	38.36	160.3	643.8	71.9
31	34.90	25.38	886.0	39.64	150.6	625.0	70.5
32	34.91	25.32	884.2	40.85	141.9	606.9	68.6
33	34.88	25.87	902.6	42.06	138.7	610.7	67.6
34	34.88	25.80	900.3	43.17	131.7	595.2	66.1
35	34.86	26.43	921.7	44.24	128.5	595.2	64.5
36	34.87	25.98	906.2	45.34	119.3	566.3	62.4
37	34.86	26.18	913.1	46.41	115.2	559.7	61.2
38	34.88	25.97	906.3	47.36	108.6	538.5	59.4
39	34.89	26.04	908.6	48.31	102.9	520.4	57.2
40	34.86	26.36	919.4	49.24	99.4	512.4	55.7
41	34.87	25.88	902.4	50.09	93.5	490.3	54.3
42	34.89	26.10	910.8	50.95	90.0	480.1	52.7
43	34.87	26.16	912.6	51.76	86.2	467.1	51.1
44	34.87	26.08	909.8	52.61	81.4	448.3	49.2
45	34.87	26.36	919.4	53.61	78.4	440.0	47.8
46	34.89	25.86	902.4	54.54	71.5	408.2	45.2
47	34.87	26.00	906.9	55.39	66.8	387.3	42.7
48	34.89	26.21	914.7	56.31	64.0	377.3	41.2
49	34.88	25.97	906.1	57.02	58.5	349.2	38.5
50	34.89	25.91	904.1	57.90	54.2	328.5	36.3
51	34.87	26.33	918.6	58.77	52.1	320.5	34.8
52	34.86	26.62	928.4	59.52	49.3	307.2	33.0
53	34.87	26.53	925.3	60.16	46.1	290.3	31.3